

WV MEDICAID PRIOR AUTHORIZATION FORM

FAX 1-844-633-8431 DENTAL/ORTHODONTIC

Today's Date _____

REGISTRATION ON C3 IS REQUIRED TO SUBMIT PRIOR AUTHORIZATION REQUESTS WHETHER BY FAX OR ELECTRONICALLY.
DETERMINATIONS ARE AVAILABLE ON [HTTPS://PROVIDERPORTAL.KEPRO.COM](https://PROVIDERPORTAL.KEPRO.COM)

C3 Requesting/Submitting Organization _____ Please list exactly as registered on C3

Address, City, State, Zip _____

C3 Requesting/Submitting Organization NPI _____ Please list exactly as registered on C3

Person Submitting Request _____ Phone _____ Fax _____ Email _____

Referring/Ordering Provider (Per policy the Referring/Ordering Provider must be actively enrolled with WV Medicaid)

Name Do not write "See Above"	NPI Number
Contact Information	Phone Fax:

Place of Service/Service Provider (Per policy the Place of Service/Service Provider must be actively enrolled with WV Medicaid)

Name Do not write "See Above"	NPI Number
Address, City, State, Zip	

Member Medicaid Number _____ DOB _____

Member First Name _____ Last Name _____

Procedure Type: DENTAL ORTHODONTIC (< age 21 only)

Authorization Type: Prior Authorization

Retrospective Request, if applicable list the appropriate reason:

Denied by Member's Primary Payer Retrospective Medicaid Eligibility

List Other Retro Reason:

For Members under age 21, is this request an EPSDT referral? Yes NO **If yes, please submit the most current EPSDT form on file**

Type of Admission/Procedure: Emergency/Medically Urgent Non-Urgent

ICD-9: 780(Retro Dates)/ICD-10: R68.89

*****Please note: Selection of the Orthodontic Procedure Type requires submission of only Orthodontic Service Codes. For all other Dental Services, please select the Dental Procedure Type*****

Reason for Dental/Orthodontic Requested Procedure

Previous relevant dental/orthodontic history (including treatments, symptoms and recommendation)

Dental Service Code:	Dental Service Code:	Dental Service Code:	Dental Service Code:
Start Date:	Start Date:	Start Date:	Start Date:
Place of Service <input type="checkbox"/> 11-Office <input type="checkbox"/> 12-Home <input type="checkbox"/> 13-Assisted Living Facility <input type="checkbox"/> 14-Group Home	Place of Service <input type="checkbox"/> 11-Office <input type="checkbox"/> 12-Home <input type="checkbox"/> 13-Assisted Living Facility <input type="checkbox"/> 14-Group Home	Place of Service <input type="checkbox"/> 11-Office <input type="checkbox"/> 12-Home <input type="checkbox"/> 13-Assisted Living Facility <input type="checkbox"/> 14-Group Home	Place of Service <input type="checkbox"/> 11-Office <input type="checkbox"/> 12-Home <input type="checkbox"/> 13-Assisted Living Facility <input type="checkbox"/> 14-Group Home
Oral Cavity Region <input type="checkbox"/> Whole Mouth <input type="checkbox"/> Upper/Maxillary Arch <input type="checkbox"/> Lower/Mandibular Arch	Oral Cavity Region <input type="checkbox"/> Whole Mouth <input type="checkbox"/> Upper/Maxillary Arch <input type="checkbox"/> Lower/Mandibular Arch	Oral Cavity Region <input type="checkbox"/> Whole Mouth <input type="checkbox"/> Upper/Maxillary Arch <input type="checkbox"/> Lower/Mandibular Arch	Oral Cavity Region <input type="checkbox"/> Whole Mouth <input type="checkbox"/> Upper/Maxillary Arch <input type="checkbox"/> Lower/Mandibular Arch
Tooth Number/Quadrant <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div>	Tooth Number/Quadrant <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div>	Tooth Number/Quadrant <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div>	Tooth Number/Quadrant <div style="border: 1px solid black; width: 100px; height: 20px; margin: 5px;"></div>
Surface <input type="checkbox"/> Buccal <input type="checkbox"/> Distal <input type="checkbox"/> Facial (or labial) <input type="checkbox"/> Incisal <input type="checkbox"/> Lingual <input type="checkbox"/> Mesial <input type="checkbox"/> Occlusal	Surface <input type="checkbox"/> Buccal <input type="checkbox"/> Distal <input type="checkbox"/> Facial (or labial) <input type="checkbox"/> Incisal <input type="checkbox"/> Lingual <input type="checkbox"/> Mesial <input type="checkbox"/> Occlusal	Surface <input type="checkbox"/> Buccal <input type="checkbox"/> Distal <input type="checkbox"/> Facial (or labial) <input type="checkbox"/> Incisal <input type="checkbox"/> Lingual <input type="checkbox"/> Mesial <input type="checkbox"/> Occlusal	Surface <input type="checkbox"/> Buccal <input type="checkbox"/> Distal <input type="checkbox"/> Facial (or labial) <input type="checkbox"/> Incisal <input type="checkbox"/> Lingual <input type="checkbox"/> Mesial <input type="checkbox"/> Occlusal
Procedure Documentation/Information	Procedure Documentation/Information	Procedure Documentation/Information	Procedure Documentation/Information

PLEASE SUBMIT ALL RELEVANT REVIEW DOCUMENTATION TO INCLUDE BUT NOT LIMITED TO RADIOGRAPHS, FILMS, X-RAYS

ORTHODONTIC QUESTIONS ONLY

Post Treatment Stabilization Yes No

Total Fee for Requested Treatment \$ _____

Recommendations for Comprehensive Orthodontic Treatment

Orthodontic-Frequency of Visits Weekly Bi-Weekly Monthly Other

If Other, please specify

MUST MEET ALL CRITERIA:

- Radiographs: panoramic, cephalometric and cephalometric tracing
- Photos: Intra and Extra Oral
- Dental Molds: Upper and Lower study casts trimmed to the correct occlusion
- Treatment plan to include findings, diagnosis, prognosis, length of treatment, phases of treatment and specific code requested.

MUST MEET AT LEAST ONE OF THE FOLLOWING CRITERIA:

- Overjet in excess of 7mm
- Severe malocclusion associated with dento-facial deformity
- True Anterior open bite
- Full cusp classification from normal (Class II or Class III)
- Palatal impingement of lower incisors into the palatal tissue causing tissue trauma
- Cleft Palate, congenital or developmental disorder
- Anterior Crossbite (2 or more teeth, in cases where gingival stripping from the crossbite is demonstrated and not correctable by limited orthodontic treatment.)
- Unilateral posterior crossbite with deviation or bilateral posterior crossbite involving multiple teeth including at least one molar
- True Posterior open bite (Not involving partially erupted teeth or one or two teeth slightly out of occlusion and not correctable by habit therapy)

Impacted teeth (excluding 3rd molars) cuspids and laterals only